

# Typical SirsiDynix attributes

For comprehensive information about the attributes that are returned you should refer to your SirsiDynix Symphony API documentation.

Here is an example attribute statement from our testing containing attribute names and values:

```
{
  "userID": "22928001325865",
  "attributes": {
    "miscInfo.accessDescription": "Public",
    "miscInfo.accessID": "PUBLIC",
    "miscInfo.datePrivilegeExpires": null,
    "miscInfo.displayName": "FIVE, OU",
    "miscInfo.environmentDescription": null,
    "miscInfo.environmentID": "WEBGCLS",
    "miscInfo.libraryDescription": "Organisational unit 5",
    "miscInfo.libraryID": "OU5",
    "miscInfo.privilegeLevel": "PUBLIC",
    "miscInfo.sharedLogin": false,
    "miscInfo.userAccnClearanceDescription": null,
    "miscInfo.userAccnClearanceID": "NONE",
    "miscInfo.userAccnPatronType": null,
    "miscInfo.userKey": 287732,
    "miscInfo.userPrivilegeExpiresSoon": null,
    "patronInfo.alternativeID": null,
    "patronInfo.birthDate": null,
    "patronInfo.department": null,
    "patronInfo.displayName": "FIVE, OU",
    "patronInfo.groupDescription": null,
    "patronInfo.groupID": null,
    "patronInfo.patronLibraryDescription": "Organisational unit 5",
    "patronInfo.patronLibraryID": "OU5",
    "patronInfo.preferredLanguage": "en",
    "patronInfo.primaryEmail": null,
    "patronInfo.userID": "22928001325865",
    "patronInfo.userKey": 287732,
    "patronInfo.webAuthID": null,
    "patronStatusInfo.datePrivilegeExpires": null,
    "patronStatusInfo.routingAllowed": true,
    "patronStatusInfo.statusDescription": "OK",
    "patronStatusInfo.statusID": "OK",
    "patronStatusInfo.statusMessage": null,
    "patronStatusInfo.statusType": "OK",
    "patronStatusInfo.userHasAlerts": false,
    "sessionInfo.userAccessDescription": "Public",
    "sessionInfo.userAccessID": "PUBLIC",
    "sessionInfo.userEnvironmentDescription": "OU5 World Wide Web Server Access",
    "sessionInfo.userEnvironmentID": "OU5",
    "sessionInfo.userLibraryDescription": "Organisational unit 5",
    "sessionInfo.userLibraryID": "OU5",
    "sessionInfo.userProfileDescription": "OU5 Patron",
    "sessionInfo.userProfileID": "OU5PATRON",
    "sessionToken": "fab842cd-9588-4dc5-98a3-b2ff0f020e61",
    "userID": "22928001325865"
  }
}
```